



AUTOGREEN



**GREEN TYRE
GREEN LIFE**

Autogreen Catalogue

BEST CHOICE INTERNATIONAL TRADE CO., LTD.

Third Floor of North Anhua Mansion, No.8 Yinghua West Street,
Chaoyang District, Beijing, 100029, China

Web : www.chinese-tyres.com
E-mail : info@chinese-tyres.com
Fax : 86-10-64447978
Tel : 86-10-64449145

Catalogue

01 PASSENGER CAR TYRE &
ULTRA HIGH PERFORMANCE TYRE

- ⊗ *SportChaser* **SC2**
- ⊗ *SuperSportChaser* **SSC5**

05 SUV TYRE & LIGHT TRUCK TYRE

- ⊗ *SPORT CRUISER* **SC6**
- ⊗ *SuperSportPioneer* **SSP8**
- ⊗ *TERRAIN CRUISER A/T* **TC9**

11 COMMERCIAL VAN TYRE
⊗ *SMART CRUISER* **SC7**

13 RUNFLAT TYRE
⊗ *SuperSportChaser* **SSC5 RFT**

15 LIMITED WARRANTY



SportChaser SC2



Sport Chaser is a performance tyre pattern for family passenger cars. Its environmentally friendly designed tread pattern lowers rolling resistance and noise emission, provides enhanced comfort driving experience and sufficient sense of security.

Function Description

Speed rate: T/H/V
Section width: 175-225

Rim: 13'-16'
Ratio: 55-70

Product Feature

➤ Circumferential straight center-line and shoulder area

Optimum casing profile & special tread compound

Blocks with variable dimensions & variable angles

Effect

➤ Enhancing handling and stability at high speed

Absorbing shocks and minimizes the effect of road surface irregularities, and Improves wet traction



Better road holding, lower noise

Customer Benefit

➤ High speed safety

Comfort & safety

Comfort & quite ride



Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noice dB	Noice Grade	
175/70R13	82T		500/ A/ A	E	A	69	))	6924590220010
175/70R13	82H		500/ A/ A	E	A	69	))	6924590220027
175/70R14	84T		500/ A/ A	E	A	69	))	6924590220034
195/70R14	91T		500/ A/ A	C	A	70	))	6924590220041
195/70R14	91H		500/ A/ A	C	A	70	))	6924590220058
175/65R14	82T		500/ A/ A	E	A	69	))	6924590220065
175/65R14	82H		500/ A/ A	E	A	69	))	6924590220072
185/65R14	86H		500/ A/ A	E	A	69	))	6924590220089
185/60R14	82H		500/ A/ A	E	A	69	))	6924590220096
185/65R15	88T		500/ A/ A	E	A	69	))	6924590220102
185/65R15	88H		500/ A/ A	E	A	69	))	6924590220119
195/65R15	91H		500/ A/ A	C	A	70	))	6924590220126
195/65R15	91V		500/ A/ A	C	A	70	))	6924590220133
205/65R15	94H		500/ A/ A	C	A	70	))	6924590220140
205/65R15	94V		500/ A/ A	C	A	70	))	6924590220157
215/65R15	96H		500/ A/ A	C	A	70	))	6924590220164
215/65R15	100H	XL	500/ A/ A	C	A	70	))	6924590220171
185/60R15	84H		500/ A/ A	E	A	69	))	6924590220188
185/60R15	88H	XL	500/ A/ A	E	A	69	))	6924590220195
195/60R15	88H		500/ A/ A	E	A	70	))	6924590220201
195/60R15	88V		500/ A/ A	E	A	70	))	6924590220218
205/60R15	91H		500/ A/ A	C	A	70	))	6924590220225
205/60R15	91V		500/ A/ A	C	A	70	))	6924590220232
185/55R15	82V		500/ A/ A	E	A	69	))	6924590220249
205/65R16	95H		500/ A/ A	C	A	70	))	6924590220256
205/65R16	95V		500/ A/ A	C	A	70	))	6924590220263
215/65R16	98H		500/ A/ A	C	A	70	))	6924590220270
205/60R16	92H		500/ A/ A	C	A	70	))	6924590220287
205/60R16	92V		500/ A/ A	C	A	70	))	6924590220294
215/60R16	95H		500/ A/ A	C	A	70	))	6924590220300
215/60R16	95V		500/ A/ A	C	A	70	))	6924590220317
225/60R16	98H		500/ A/ A	C	A	70	))	6924590220324
205/55R16	91V		500/ A/ A	C	A	70	))	6924590220331

Wet Grip- A

Use cutting-edge tire technology. Upgrade all technical indexes to premier level . SC2 all sizes get Grade A in wet grip.





SuperSportChaser SSC5

SuperSport Chaser is a ultra high performance tyre for sports cars, sporty coupes and powerful performance sedans. The asymmetric tread pattern provides superior handling ability on both dry and wet roads. The “mute tread” design provides minimum noise level. It is a right choice for drivers who want both performance and driving comfort.

Function Description

Speed rate: V/W/Y
Section width: 195-255

Rim: 15'-20'
Ratio: 30-55

Product Feature


- Asymmetric pattern design
Outside with circumferential straight groove
Inside rug groove of shoulder area
- High wet grip compound

Effect

- Giving high speeds handling
Draining water away from block surface
- Maximun resistance to aquaplaning

Customer Benefit

- High speed safety
Unique wet handing, traction and acceleration capability
- High stiffness polyester material used



Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noice dB	Noice Grade	
195/55R15	85V		320/ A/ A	E	B	71	))	6924590220348
195/50R15	82V		320/ A/ A	E	B	71	))	6924590220355
205/55ZR16	91W		320/ A/ A	C	B	71	))	6924590220362
205/55ZR16	94W	XL	320/ A/ A	C	B	71	))	6924590220379
215/55ZR16	97W	XL	320/ A/ A	C	B	71	))	6924590220386
205/50ZR16	87W		320/ A/ A	E	B	71	))	6924590220393
195/45ZR16	84W	XL	320/ A/ A	E	B	71	))	6924590220409
205/45ZR16	87W	XL	320/ A/ A	E	B	71	))	6924590220416
215/55R17	98V	XL	320/ A/ A	C	B	71	))	6924590220423
215/55ZR17	98W	XL	320/ A/ A	C	B	71	))	6924590220430
225/55ZR17	101W	XL	320/ A/ A	C	B	72	))	6924590220447
235/55ZR17	99W		320/ A/ A	C	B	71	))	6924590220454
205/50ZR17	93W	XL	320/ A/ A	C	B	71	))	6924590220461
215/50ZR17	95W	XL	320/ A/ A	C	B	71	))	6924590220478
225/50ZR17	98W	XL	320/ A/ A	C	B	72	))	6924590220485
235/50ZR17	96W		320/ A/ A	C	B	71	))	6924590220492
205/45ZR17	88W	XL	320/ A/ A	E	B	71	))	6924590220508
215/45ZR17	91W	XL	320/ A/ A	C	B	71	))	6924590220515
225/45ZR17	94W	XL	320/ A/ A	C	B	71	))	6924590220522
235/45ZR17	97W	XL	320/ A/ A	C	B	72	))	6924590220539
205/40ZR17	84W	XL	320/ A/ A	E	B	71	))	6924590220546
225/50ZR18	95W		320/ A/ A	C	B	71	))	6924590220553
235/50ZR18	97W		320/ A/ A	C	B	71	))	6924590220560
225/45ZR18	95W	XL	320/ A/ A	C	B	72	))	6924590220577
235/45ZR18	98W	XL	320/ A/ A	C	B	72	))	6924590220584
245/45ZR18	100W	XL	320/ A/ A	C	B	72	))	6924590220591
225/40ZR18	92W	XL	320/ A/ A	C	B	72	))	6924590220607
235/40ZR18	95W	XL	320/ A/ A	C	B	72	))	6924590220614
245/40ZR18	97W	XL	320/ A/ A	C	B	72	))	6924590220621
245/40ZR18	97Y	XL	320/ A/ A	C	B	72	))	6924590220638
215/35ZR18	84W	XL	320/ A/ A	E	B	71	))	6924590220645
225/35ZR19	88W	XL	320/ A/ A	E	B	72	))	6924590220652
235/35ZR19	91W	XL	320/ A/ A	C	B	72	))	6924590220669
245/35ZR19	93W	XL	320/ A/ A	C	B	72	))	6924590220676
225/35ZR20	90W	XL	320/ A/ A	E	B	72	))	6924590220683
225/35ZR20	90Y	XL	320/ A/ A	E	B	72	))	6924590220690
245/35ZR20	91Y		320/ A/ A	C	B	71	))	6924590220706
245/35ZR20	95Y	XL	320/ A/ A	C	B	72	))	6924590220713
255/35ZR20	97W	XL	320/ A/ A	C	B	73	))	6924590220720
255/35ZR20	97Y	XL	320/ A/ A	C	B	73	))	6924590220737
225/30ZR20	85W	XL	320/ A/ A	E	B	72	))	6924590220744
235/30ZR20	88W	XL	320/ A/ A	E	B	72	))	6924590220751
235/30ZR20	88Y	XL	320/ A/ A	E	B	72	))	6924590220768



SPORT CRUISER SC6

Sport Cruiser is a civic SUV tyre for highway and city roads. Solid circumferential center rib enhances high speed driving response and straight line stability. The staggered pattern with variable pitch reduces tread noise and provides more tread wear. The large stabilized shoulder blocks with small sipes improve traction and provide precise control on both dry and wet roads.

Function Description

Speed rate: T/H/V/W
Section width: 205-285

Rim: 15'-20'
Ratio: 40-75



Product Feature



Circumferential straight center-line

4 wide grooves

Blocks with variable dimensions & variable angles and lateral sipes

Effect



Providing quick response to maneuvers and better balance on the road

Helping to increase wet handling, reduces the risk of aquaplaning

For better road holding, lower noise


Customer Benefit



High speed safety

Wet grip and safety

Comfort & quite ride



Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noice dB	Noice Grade	
215/75ZR15	100T		420/ A/ A	E	C	70	)	6924590220775
225/75ZR15	102T		420/ A/ A	E	C	70	)	6924590220782
235/75ZR15	105T		420/ A/ A	E	C	70	)	6924590220799
205/70ZR15	96T		420/ A/ A	E	C	70	)	6924590220805
205/70ZR15	96H		420/ A/ A	E	C	70	)	6924590220812
215/70ZR15	98T		420/ A/ A	E	C	70	)	6924590220829
215/70ZR15	98H		420/ A/ A	E	C	70	)	6924590220836
245/75ZR16	109T		420/ A/ A	E	C	71	)	6924590220843
245/75ZR16	109H		420/ A/ A	E	C	71	)	6924590220850
265/75ZR16	116T		420/ A/ A	E	C	71	)	6924590220867
265/75ZR16	116H		420/ A/ A	E	C	71	)	6924590220874
215/70ZR16	100T		420/ A/ A	E	C	70	)	6924590220881
215/70ZR16	100H		420/ A/ A	E	C	70	)	6924590220898
225/70ZR16	103T		420/ A/ A	E	C	70	)	6924590220904
225/70ZR16	103H		420/ A/ A	E	C	70	)	6924590220911
235/70ZR16	106T		420/ A/ A	E	C	70	)	6924590220928
235/70ZR16	106H		420/ A/ A	E	C	70	)	6924590220935
245/70ZR16	107T		420/ A/ A	E	C	71	)	6924590220942
245/70ZR16	107H		420/ A/ A	E	C	71	)	6924590220959
255/70ZR16	111T		420/ A/ A	E	C	71	)	6924590220966
255/70ZR16	111H		420/ A/ A	E	C	71	)	6924590220973
265/70ZR16	112T		420/ A/ A	E	C	71	)	6924590220980
265/70ZR16	112H		420/ A/ A	E	C	71	)	6924590220997
235/65ZR16	103T		420/ A/ A	E	C	70	)	6924590221000
235/65ZR16	103H		420/ A/ A	E	C	70	)	6924590221017
235/60ZR16	100H		420/ A/ A	E	C	70	)	6924590221024
235/60ZR16	100V		420/ A/ A	E	C	70	)	6924590221031
245/70ZR17	110T		420/ A/ A	E	C	71	)	6924590221048
265/70ZR17	115T		420/ A/ A	E	C	71	)	6924590221055
265/70ZR17	115H		420/ A/ A	E	C	71	)	6924590221062
215/65ZR17	99T		420/ A/ A	E	C	70	)	6924590221079
225/65ZR17	102H		420/ A/ A	E	C	70	)	6924590221086
235/65ZR17	104H		420/ A/ A	E	C	70	)	6924590221093
245/65ZR17	107H		420/ A/ A	E	C	71	)	6924590221109
255/65ZR17	110T		420/ A/ A	E	C	71	)	6924590221116
265/65ZR17	112T		420/ A/ A	E	C	71	)	6924590221123
265/65ZR17	112H		420/ A/ A	E	C	71	)	6924590221130
225/60ZR17	99H		420/ A/ A	E	C	70	)	6924590221147
225/60ZR17	99V		420/ A/ A	E	C	70	)	6924590221154
235/60ZR17	102H		420/ A/ A	E	C	70	)	6924590221161
235/60ZR17	102V		420/ A/ A	E	C	70	)	6924590221178
265/65ZR18	112T		420/ A/ A	E	C	71	)	6924590221185
275/65ZR18	114T		420/ A/ A	E	C	71	)	6924590221192
225/60ZR18	100H		420/ A/ A	E	C	70	)	6924590221208
235/60ZR18	107V	XL	420/ A/ A	E	C	70	)	6924590221215
245/60ZR18	105H		420/ A/ A	E	C	71	)	6924590221222
265/60ZR18	110H		420/ A/ A	E	C	71	)	6924590221239
225/55ZR18	98H		420/ A/ A	E	C	70	)	6924590221246
235/55ZR18	100V		420/ A/ A	E	C	70	)	6924590221253
255/55ZR18	109V	XL	420/ A/ A	E	C	71	)	6924590221260
235/55ZR19	101V		420/ A/ A	E	C	70	)	6924590221277
275/60ZR20	114H		420/ A/ A	E	C	72	)	6924590221284
275/60ZR20	114V		420/ A/ A	E	C	72	)	6924590221291
275/55ZR20	117H	XL	420/ A/ A	E	C	72	)	6924590221307
275/55ZR20	117V	XL	420/ A/ A	E	C	72	)	6924590221314
265/50ZR20	111V	XL	420/ A/ A	E	C	71	)	6924590221321
285/50ZR20	112V		420/ A/ A	E	C	72	)	6924590221338
285/50ZR20	116V	XL	420/ A/ A	E	C	72	)	6924590221345
275/45ZR20	110V	XL	420/ A/ A	E	C	72	)	6924590221369
275/40ZR20	106V	XL	420/ A/ A	E	C	72	)	6924590221376



SuperSportPioneer SSP8

Directional pattern specially designed for refitted vehicle.

Wide tread and large shoulder blocks provide outstanding handling performance and stability.

Small grooves within pattern blocks reduce rigidity and enhance grip performance, which will assure your high speed safety.

Wide and deep transverse grooves with bamboo type longitudinal rib strip design enhance control performance and provide perfect handling performance.



Size	Load Index & Speed Rate	/XL	UTQG	UPC
305/45R22	118V	XL	420/ A/ A	6924590222922
265/40R22	106V	XL	420/ A/ A	6924590222953
305/40R22	114V	XL	420/ A/ A	6924590222915
265/35R22	102V	XL	420/ A/ A	6924590222960
285/35R22	106V	XL	420/ A/ A	6924590222946
235/30ZR22	90W	XL	420/ A/ A	6924590222991
245/30ZR22	92W	XL	420/ A/ A	6924590222984
255/30ZR22	95W	XL	420/ A/ A	6924590222908
265/30ZR22	97W	XL	420/ A/ A	6924590222977
295/25ZR22	97W	XL	420/ A/ A	6924590222939
295/35R24	110V	XL	420/ A/ A	6924590223011
305/35R24	112V	XL	420/ A/ A	6924590223004
255/30ZR24	97W	XL	420/ A/ A	6924590223042
275/30ZR24	101W	XL	420/ A/ A	6924590223028
275/25ZR24	96W	XL	420/ A/ A	6924590223035
295/30ZR26	107W	XL	420/ A/ A	6924590223066
305/30ZR26	109W	XL	420/ A/ A	6924590223059

Function Description

Speed rate: V/W
Section width: 235-305

Rim: 22'-26'
Ratio: 25-45



Product Feature



- Wide tread and the large shoulder blocks
- The small grooves within the pattern blocks
- Wide and deep transverse grooves with bamboo type longitudinal rib strip design

Effect

- Provide performance outstanding control
- Reduce the rigidity difference between each pattern blocks and enhance grip performance
- Enhance the control performance

Customer Benefit

- Drive stability
- High speed safety
- Perfect handling





**TERRAIN CRUISER A/T
TC9**

Terrain Cruiser is premium On-/Off-Road All-Terrain tyre developed for light truck drivers looking to combine on-road competence with off-road versatility.

**Function
Description**

Speed rate: **Q/R/S/T**
Section width: **215-285**
Rim: **15'-18'**
Ratio: **65-85**

70%  30%

Off Road On Road


**Product
Feature**

- Staggered and big shoulder blocks
 - Extra traction in sand, mud, loose soil and snow
 - Excellent traction on and off-road
- Strong carcass & jointless mono-strand bead bundle
 - Better reliable operation on rough terrain
 - Safety and excellent traction
- Deep-biting and self-cleaning tread lugs design
 - Better traction under extreme conditions
 - Extra bite on rough terrain



Size	Load Index &Speed Rate	Load Range	Ply Rating	UTQG	UPC
LT31x10.50R15	109Q	C	6PR		6924590221390
LT31x10.50R15	109S	C	6PR		6924590221406
LT235/75R15	104/101S	C	6PR		6924590221413
LT215/85R16	115/112Q	E	10PR		6924590221420
LT235/85R16	120/116Q	E	10PR		6924590221437
LT225/75R16	115/112S	E	10PR		6924590221444
LT245/75R16	120/116S	E	10PR		6924590221451
LT265/75R16	123/120S	E	10PR		6924590221468
LT285/75R16	126/123R	E	10PR		6924590221475
P215/70R16	100T			440/ A/ B	6924590221482
P245/70R16	106S			440/ A/ B	6924590221499
P265/70R16	111T			440/ A/ B	6924590221505
LT235/80R17	120/117R	E	10PR		6924590221512
LT245/75R17	121/118R	E	10PR		6924590221529
LT245/70R17	119/116R	E	10PR		6924590221536
LT265/70R17	121/118S	E	10PR		6924590221543
LT285/70R17	121/118R	E	10PR		6924590221550
P265/65R17	112T			440/ A/ B	6924590221567
LT265/70R18	124/121S	E	10PR		6924590221574
LT275/65R18	123/120S	E	10PR		6924590221581

Performance radar chart





SMART CRUISER SC7

Smart Cruiser is used on small and medium commercial trucks, vans and pickups. It is for drivers who want a combination of heavy-duty load capacity, long mileage, even wear and traction on dry and wet roads.



Size	Load Index &Speed Rate	Load Range	Ply Rating	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noice dB	Noice Grade	
185R14C	102/100R	D	8PR	E	B	71	))	6924590221598
195R14C	106/104R	D	8PR	E	B	71	))	6924590221604
215/75R14C	104/101R	D	8PR	E	B	72	))	6924590221611
175/65R14C	90/88Q	C	6PR	E	B	71	))	6924590221628
195R15C	106/104R	D	8PR	E	B	71	))	6924590221635
195/70R15C	104/102R	D	8PR	E	B	71	))	6924590221642
205/70R15C	106/104S	D	8PR	E	B	71	))	6924590221659
215/70R15C	109/107S	D	8PR	E	B	72	))	6924590221666
225/70R15C	112/110R	D	8PR	E	B	72	))	6924590221673
185/75R16C	104/102R	D	8PR	E	B	71	))	6924590221680
195/75R16C	107/105R	D	8PR	E	B	71	))	6924590221697
195/65R16C	104/102T	D	8PR	E	B	71	))	6924590221703
205/65R16C	107/105T	D	8PR	E	B	71	))	6924590221710
215/65R16C	109/107T	D	8PR	E	B	72	))	6924590221727
225/65R16C	112/110T	D	8PR	E	B	72	))	6924590221734
235/65R16C	115/113T	D	8PR	E	B	72	))	6924590221741

Function Description

Speed rate: Q/R/S/T
Section width: 175-235

Rim: 14'-16'
Ratio: 65-75

Product Feature

➤ Wide base tread

Mono-strand, jointless bead bundle

State of the art tread compound

Effect

➤ Increasing road grip and better traction

Providing accurate fit to the rim

Improves wet & dry traction and reduces wear

Customer Benefit

➤ Drive stability & long life

Smooth and stable drive

Safety & long life





**SuperSportChaser
SSC5**
RUNFLAT TYRE

Reduced danger and hassle
Drive to safety for up to 80 kilometres of 80km/h
Compatible with standard wheel rims
No need for a spare wheel and jack

Speed rate: V/W/Y
Rim: 16'-19'
Section width: 195-245
Ratio: 35-55

Function Description

Product Feature

➤ Reinforced sidewalls to support the vehicle in the event of an air pressure loss

Customer Benefit

➤ Increasing safety


Effect

➤ In event of an air pressure loss, RFT tyres allow for a controlled continuation of your journey at a reduced speed of up to a distance of 80 km at a maximum speed of 80 km/h




Advanced
RunFlat Technology

RFT Tyre



Normal Tyre



size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noice dB	Noice Grade	
195/55RF16	87V		320/ A/ A	E	C	71	))	6924590222786
205/55RF16	91V		320/ A/ A	E	C	71	))	6924590222809
225/55ZRF17	97W		320/ A/ A	-	-	-	-	6924590223073
205/50ZRF17	89W		320/ A/ A	E	B	71	))	6924590222823
225/50ZRF17	94W		320/ A/ A	E	B	71	))	6924590222847
205/45RF17	84V		320/ A/ A	E	B	71	))	6924590222861
225/45ZRF17	91W		320/ A/ A	E	B	71	))	6924590222885
225/45RF18	91W		320/ A/ A	-	-	-	-	6924590223080
245/45ZRF18	96Y		320/ A/ A	-	-	-	-	6924590223097
225/40ZRF18	92W	XL	320/ A/ A	-	-	-	-	6924590223103
245/40ZRF18	93W		320/ A/ A	-	-	-	-	6924590223110
245/40ZRF18	93Y		320/ A/ A	-	-	-	-	6924590223127
245/40ZRF18	97W	XL	320/ A/ A	-	-	-	-	6924590223134
225/35ZRF19	88Y	XL	320/ A/ A	-	-	-	-	6924590223141

AUTOGREEN PASSENGER & LIGHT TRUCK STANDARD LIMITED WARRANTY

1.WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY?

Best Choice International Trade Co., LTD., headquartered at 3rd Floor, North Anhua Building, No. 8 Yinghua West Street, Chaoyang District, Beijing, China 100029 ("Best Choice"), warrants to the original consumer tyre purchaser that all AUTOGREEN passenger and light truck tyres bought either directly or through an authorized AUTOGREEN dealer, which are mounted on cars or light trucks and become unserviceable for any reason within the manufacturer' s control. AUTOGREEN consumer products are warranted to be free from defects in materials and workmanship subjected terms, conditions and limitations as stated below. If our examination of a warrant-able product determines that the product has failed due to defect in materials or workmanship, we will make a reasonable allowance toward the purchase price of a new product or other adjustment within our discretion. Adjustments will be made on a pro-rate basis determined by the amount of usage or service received from the product and will be based on the most recent purchase price (proof of purchase is required). This warranty is not transferable.

TERMS, CONDITIONS AND LIMITATIONS

Under no circumstances is this limited warranty a representation that a tyre failure cannot occur. This limited warranty is only applicable to products sold and used on consumer vehicles.

Passenger tyres are under 4 years from date of production.

Light Truck tyres (LT designation) are under limited warranty if less than 4 years from date of production, or less than 3 years from date of purchase (purchase proof is needed).

The life of the original usable tread has worn down to 2/32" remaining (worn down to the wear bar indicators in the tread grooves).

A.Within the first 2/32" of original usable tread, Best Choice will replace such tyre with a comparable AUTOGREEN new tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer.

B.Beyond the first 2/32" of the original usable tread, a pro rate credit will be given toward the purchase of a comparable new AUTOGREEN tyre. Applicable taxes, costs of mounting and balancing and other service charges are payable by the consumer.

Example: Amount of credit will be calculated by the following formula:

CR = Remaining Tread Depth÷ 7 = 56% x \$75.00= \$42 Credit **

Original Usable Tread Depth 11

** refer to Adjustment credit Percentage table to obtain actual percentage amount when calculating.

C.Adjustment on out-of-round or out-of-balance conditions is allowed only during the first 1/32" of the original tread depth within the first 6 months from the date of purchase , supported with proof of the out-of-round or out-of-balance conditions for every passenger or light truck tyre. Best Choice will replace such tyre with a comparable new AUTOGREEN tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner. A set of 4 tyres from the same vehicle will not be accepted for out-of-round or out-of-balance claims.

WHAT IS NOT COVERED?

A.Tyre adjustments will be based on the remaining tread depth. Tyres worn to 2/32" tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable.

B.Tyre returned for out-of-round or ride disturbance conditions beyond 2/32" of wear will not be considered for adjustment.

C.Tyres marked "NA" (Non-Adjustable) specifically are excluded from this limited warranty.

D.The cost applicable to taxes, mounting, balancing and any other service charges are excluded.

E.Tyre returned as a set will not be considered. All tyres must have a warrantable condition.

F.Tyres that have been altered in any way including retreaded, altered and repaired improperly to Rubber manufactures Association standards or with section repairs or with self-valancing plug are excluded from the limited warranty.

G.Tyres without DOT number are excluded from the limited warranty.

H.Tyres with tyre fill, sealant, balancing materials, fillers inside the tyre, tyres notched, buffed, re-grooved or cut are excluded from the limited warranty.

I.Ozone or weather cracking after 2 years from the date of purchase

J.Tyre without production date.

K.Loss of time, or use, inconvenience, or any incidental or consequential damage.

L.Tyres that have been misapplied due to insufficient speed rating, undersized, or oversized.

M.Tyres that have become unserviceable due to chemical corrosion, vandalism, chains and flat spotting.

N.Tyres involved in race activities.

O.Uneven wear characteristics caused by mechanical irregularity in the vehicle such as misalignment, over inflation and under-inflation

P.Uneven or rapid wear more than 2/32nds across the tread on the same tyre

Q.Tyre damage or irregular wear due to road hazard, including punctures, cuts, impact break, bulge, snag, stone drill and car collision.

R.Continued use while run flat or acute under-inflation.

S.Improper use, without limitation, improper inflation, overloading, allocated to improper rim, tyre/wheel balance, worn suspension components, improper mounting or dismounting, misuse, misapplication and fire.

OWNERS OBLIGATIONS

A.Present tyre to the AUTOGREEN dealer from whom you bought this tyre.

B.Complete and sign an AUTOGREEN adjustment claim form at AUTOGREEN dealer you bought the claimed tyres.

C.Pay the amounts due for a new tyre, less the amount of the credit, including taxes, mounting, balancing, valve stem if needed and any other service that you might require.

2. REPLACEMENT WARRANTY

If you receive a replacement tyre under the AUTOGREEN warranty, it will be covered by the manufacturer' s warranty and the supplemental limited warranty that Best Choice International Trade Co. LTD gives on that tyre.

This is the only expressed warranty given by Best Choice International Trade Co. LTD applicable to AUTOGREEN replacement tyres. Best Choice does not make any other express warranty or implied warranty of merchant ability or fitness for a particular purpose.

Best Choice does not authorize any other people, including authorized dealers, to change this warranty or create any other obligation in connection with AUTOGREEN products. Best Choice will not do anything other than what is stated in this warranty if a defect is found to exist in an AUTOGREEN replacement radial tyre. All other remedies are excluded, including any obligation or liability on the part of Best Choice for consequential or incidental damages (such as loss of use of car, loss of time or inconvenience) arising out of defect.

Legal Rights:

All implied warranties, included any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written limited warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of vehicle, loss of time, inconvenience, personal injury or death. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This limited warranty gives the customer legal rights that may vary from state to state. This is the only express warranty applicable to items sold by Best Choice International Trade Co. LTD, and supersedes the terms of any previous warranty. Best Choice International Trade Co. LTD neither assumes nor authorizes anyone to assume for it any other warranty.

Best Choice International Trade Co. LTD